

IrriCure[®]

Sprayable

| Volume | | Weight | | Metric Volume | Metric Weight |
|--------------------------|----------------------|-------------|-------------|--------------------------|------------------|
| <input type="checkbox"/> | 1.0 Gal. (3.7 L) | 8.5 Lbs. | (3.9 kg) | <input type="checkbox"/> | 10.0 L 10.1 kg |
| <input type="checkbox"/> | 2.5 Gal. (9.4 L) | 21.2 Lbs. | (9.6 kg) | <input type="checkbox"/> | 115.0 L 116.7 kg |
| <input type="checkbox"/> | 5.0 Gal. (19.9 L) | 42.5 Lbs. | (19.3 kg) | <input type="checkbox"/> | 200.0 L 203.0 kg |
| <input type="checkbox"/> | 30.0 Gal. (113.5 L) | 254.7 Lbs. | (115.5 kg) | <input type="checkbox"/> | 984.2 L 998.9 kg |
| <input type="checkbox"/> | 55.0 Gal. (208.1 L) | 467.0 Lbs. | (211.8 kg) | | |
| <input type="checkbox"/> | 260.0 Gal. (984.2 L) | 2207.0 Lbs. | (1001.3 kg) | | |

Active Ingredients:
40% Propanediol
20% Poly(2-methyloxirane)

Inert Ingredient:
40% Water

Density: 8.49 lb at 68° F



WARNING

Irritant to eyes, skin, and ingestion.

Use proper gloves and goggles when handling and wash hands before touching eyes or eating. Get medical advice/attention if you feel unwell. Dispose of contents/container in accordance with local/regional/national and international regulations.

KEEP OUT OF REACH OF CHILDREN

CONTAINS NON-PLANT-FOOD INGREDIENTS

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>



MITCHELL PRODUCTS

Mitchell Products LLC • 1205 W. Main Street, Millville, NJ 08332 • P.866.436.0500

tricure.com

GENERAL INFORMATION

IrriCure Sprayable is formulated to increase irrigation efficiency and improve infiltration and penetration of rainfall while improving soil wetting and rewetting properties. This concentrated tank mix formulation also may help facilitate better dispersion and uniformity in the soil of tank mix partners. Intended for use on all fine turf on golf courses, athletic fields, etc.

DIRECTIONS FOR USE

IrriCure Sprayable can be applied with most conventional sprayers. Applications should begin in early spring or before the first signs of heat-related stress appear (see application chart). Immediate watering in is not required after application. Use low viscosity Injectable IrriCure in irrigation systems.

APPLICATION INTERVAL

Use IrriCure Sprayable weekly or as needed throughout the growing season.

APPLICATION RATES

| Application Rate | Interval |
|------------------|---------------|
| 8 oz. / Acre | Every 7 days |
| 16 oz. / Acre | Every 14 days |
| 24 oz. / Acre | Every 24 days |

TANK MIXING

For soil applied nutrient and chemical applications, use 16 oz./A. IrriCure Sprayable is compatible with most turf chemicals. Immediate watering-in may be required for some tank mix partners. Review labels of all products to be tank-mixed for their specific application requirements. It is recommended that field-testing be done on a small area before spraying to assure safety concerns are met.

WARRANTY: Seller warrants that this material is suitable for the purpose stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any contrary to such directions. Seller makes no other expressed or implied warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the materials as to which a claim is made.

PRECAUTIONARY STATEMENTS

- Overexposure causes eye irritation, excessive watering, redness
- Overexposure to skin may cause itching and redness
- Harmful if swallowed. May cause diarrhea, nausea and vomiting.
- Wear approved eye protection and clothing
- Keep out of reach of children

IN CASE OF CONTACT

- **EYES:** If eye exposure occurs, wash with water for at least 15 minutes. Call a physician.
- **SKIN:** Eye and skin irritant. Wash skin and clothing thoroughly with water after exposure.
- **INGESTION:** Contact physician or poison-control center. If victim is conscious and able to swallow, quickly give milk or water to dilute. Do not give sodium bicarbonate, vinegar, or fruit juices. Never give anything by mouth if victim is unconscious or having convulsions. Induce vomiting only upon advice of a physician

STORAGE AND DISPOSAL

Protect product from freezing. If freeze occurs, allow product to warm/thaw before use. Store in an approved facility out of reach of children or unauthorized personnel. Store in original container. Dispose of unused contents according to RCRA and all applicable national and local government regulations. Containers may be disposed of after thorough rinsing and offered for recycling or reconditioning or disposed of according to approved national and local regulations. Do not reuse empty containers.

SDS Enclosed