

Safe • Non-Phytotoxic

GENERAL INFORMATION

TriCureMicro™ is formulated for the prevention and treatment of hydrophobic soil conditions and optimization of turf water management programs in loamy, native soils. Chemistry is designed to reach the micro pore space in heavy soils.

Upper soil profiles contain varied combinations of soil, sand, thatch and organic amendments. These components interact and influence how water, air and nutrients are received. **TriCureMicro™** soil surfactant is formulated to effectively treat all of these soil and organic surfaces, without the risk of excessive water retention.

DIRECTIONS FOR USE

For best results, **TriCureMicro™** applications should begin in early spring, before first signs of heat-related stress appear (zones 1-3). **TriCureMicro™** can also be applied directly as a curative on existing dry areas and LDS.

In warmer climates (zones 4-5), application should be year-round, or when environmental stress conditions begin to impact turf performance.

Immediate watering-in is not necessary to prevent burning as **TriCureMicro™** is non-phytotoxic. For best results, heavy irrigation is recommended when applying to facilitate movement of chemical into the soil.

Application of **TriCureMicro™** via irrigation lines is recommended where possible as chemical is optimally disbursed. Reduced application rates with comparable results are also often possible when applied through irrigation.

See application rate table below for zone specific rate information.

TANK MIXING

Although **TriCureMicro™** can be mixed with most chemicals used in turf management, it is recommended that field-testing be done on a small area before spraying to assure safety concerns are met.

APPLICATION RATES

<p>Zones</p> <ol style="list-style-type: none"> Cool Oceanic Cool Arid Cool Humid Warm Arid Warm Humid 	Site Location	Oz. / 1000 ft ² 2 Gal. Water	Usage
	Zone 1-3	4 oz. / Monthly 8 oz. / Monthly 16 oz. / Quarterly	Regular use for normal conditions High stress conditions and curative for LDS Seasonal application
	Zone 4-5	8 oz. / Monthly 12 oz. / Monthly 20 oz. / Quarterly	Regular use for normal conditions High stress conditions and curative for LDS Seasonal application
<p>Due to geographical and climatic variation, seasonal application rates may vary. First application should be in early spring, or when first signs of heat stress appear, followed by subsequent application every three months.</p>			

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapco.org/metals.htm>.

BENEFITS

- Prevents development of water-repellent soils
- Eliminates Localized Dry Spots
- Reduces channeling and preferential flow
- Prevents water loss due to run-off
- Reduces excess water retention
- Provides water penetration and uniform distribution of water to the root zone
- Conserves irrigation water
- Increases root mass and length
- Reduces labor costs associated with hand watering

PRECAUTIONARY STATEMENTS

- Overexposure causes eye irritation, excessive watering, redness
- Overexposure to skin may cause itching and redness
- Harmful if swallowed. May cause diarrhea, nausea and vomiting.
- Wear approved eye protection and clothing
- Keep out of reach of children

IN CASE OF CONTACT

- **EYES** If eye exposure occurs, wash with water for at least 15 minutes. See a physician.
- **SKIN** Eye and skin irritant. Wash skin and clothing thoroughly with water after exposure.
- **INGESTION** Contact physician or poison-control center. If victim is conscious and able to swallow, quickly give milk or water to dilute. Do not give sodium bicarbonate, vinegar, or fruit juices. Never give anything by mouth if victim is unconscious or having convulsions. Induce vomiting only upon advice of a physician.

STORAGE & DISPOSAL

Protect product from freezing. If freeze occurs, allow product to warm before use. Do not contaminate water, food or feed. Store in an approved facility out of reach of children or unauthorized personnel. Store in original container. Dispose of unused contents according to RCRA and all applicable national and local government regulations.

Containers may be disposed of after thorough rinsing and offered for recycling or reconditioning or disposed of according to approved national and local regulations. Do not reuse empty containers.

WARRANTY: Seller warrants that this material is suitable for the purpose stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any contrary to such directions. Seller makes no other expressed or implied warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

CONTAINS NON-PLANT-FOOD INGREDIENTS

Guaranteed Analysis:

53% Methyloxirane, oxidoethane
47% Inert Ingredient

MITCHELL PRODUCTS

1205 W. Main Street
Millville, New Jersey 08332
Phone: 856.327.2005 • Fax: 856.327.6881